



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/379,646	08/23/1999	DAVID M. LILENFELD	FM-1999:01	1549

7590 10/02/2002

DAVID M. LILENFELD  
424 LINDBERG DR.  
ATLANTA, GA 30305

EXAMINER

NGUYEN, JIMMY H

ART UNIT	PAPER NUMBER
----------	--------------

2673

18

DATE MAILED: 10/02/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

**Advisory Action**

Application No.

09/379,646

Applicant(s)

LILENFELD, DAVID M.

Examiner

Jimmy H. Nguyen

Art Unit

2673

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 19 September 2002 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

**PERIOD FOR REPLY** [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on \_\_\_\_\_. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☒ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
  - (b) ☐ they raise the issue of new matter (see Note below);
  - (c) ☒ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
  - (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: See Continuation Sheet.

3. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.
4. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☒ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: See Continuation Sheet.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☒ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: None.

Claim(s) objected to: None.


Claim(s) rejected: 21-23.

Claim(s) withdrawn from consideration: None.

8. ☐ The proposed drawing correction filed on \_\_\_\_\_ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_.
10. ☐ Other: \_\_\_\_\_

Continuation of 2. NOTE: An amendment filed on or after March 1, 2001 must comply with revised 37 CFR 1.121, i.e., applicant must provide (a) a clean version of an amended claim and (b) a marked-up version of the same claim showing changes.

Continuation of 5. does NOT place the application in condition for allowance because: of the same reasons as set forth in the last Office Action. In response to applicant's argument filed "the ulnar fingers with Bidiville are on Bidiville's upper housing, they cannot wrap around the side and under the device", page 6, lines 20-22, it is noted that the claimed feature, "the ulnar fingers wrapping around the side and underside the device" is taught by Jarlance-Huang, as discussed in the last office action (see page 4, lines 1-4). With respect to applicant's argument filed "there must be a showing of a suggestion or motivation to modify the teachings of that reference", page 5, lines 9-10, as mentioned in the last office action, page 4, lines 5-9, the motivation for doing so is to provide the user ergonomically and comfortably holding and operating the device, as taught by Jarlance-Huang. And, in response to applicant's argument filed "Bidiville's ball (Bidiville, figure 20E, numeral 710) is not mounted at the upper left portion of the body, page 8, lines 6-8, as discussed in the Response to Arguments section in the last office action, the portion that the roller ball is disposed on, as shown in fig. 20, is considered to be the upper left portion of the device.



BIPIN SHALWALA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2000